Journal of Biomedical Materials Research
Author Index—Volume 47

Aboubakar, M.
—; Puisieux, F.; Couvreur, P.; Deyme, M.; Vauthier, C.: Study of the mechanism of insulin encapsulation in poly(isobutylcyanoacrylate) nanocapsules obtained by interfacial polymerization, 568
Adnet, J. J. See Josset, Y., 481
Aeschlimann, D. See Bulpitt, P., 152
Aguado, E. See Gauthier, O., 28
Akiyama, H. See Matsuoka, H., 176
Alonso, M. J. See Quellec, P., 388
Amidon, G. L. See Markland, P., 595
Arramon, Y. P. See Haddock, S. M., 71
Askendal, A. See Källtorp, M., 251
Atsuta, M. See Yoshida, K., 516
Ayers, R. A.
—; Wolford, L. M.; Bateman, T. A.; Ferguson, V. L.; Simske, S. J.: Quantification of bone ingrowth into porous block hydroxyapatite in humans, 54

Balas, F. See Pérez-Pariente, J., 170
Bateman, T. A. See Ayers, R. A., 54
Best, S. M. See Fernandez, E., 466
Beugeling, T. See Bos, G. W., 279
Blaauwgeers, H. G. T. See Bruining, M. J., 189
Bohic, S. See Kimakhe, S., 18
Bos, G. W.
—; Scharenborg, N. M.; Poot, A. A.; Engbers, G. H. M.; Beugeling, T.; van Aken, W. G.; Feijen, J.: Blood compatibility of surfaces with immobilized albumin–heparin conjugate and effect of endothelial cell seeding on platelet adhesion, 279
Bosco, J. See Gauthier, O., 28
Bouler, J.-M. See Gauthier, O., 28
Boyan, B. D. See Lohmann, C. H., 139
Bruining, Monique J.
—; Edelbroek-Hoogendoorn, P. S.; Blaauwgeers, H. G. T.; Mooy, C. M.; Hendrikse, F. H.; Koole, L. H.: New biodegradable networks of poly(*N*-vinylpyrrolidinone) designed for controlled nonburst degradation in the vitreous body, 189
Bulpitt, P.
—; Aeschlimann, D.: New strategy for chemical modification of hyaluronic acid: preparation of functionalized derivatives and their use in the formation of novel biocompatible hydrogels, 152
Burmeister, J. S.
—; McKinney, V. Z.; Reichert, W. M.; Truskey, G. A.: Role of endothelial cell–substrate contact area and fibronectin–receptor affinity in cell adhesion to HEMA/EMA copolymers, 577

Cabrerizo-Vilchez, M. A. See Toledano, M., 198
Cahalan, P.T. See van Wachem, P. B., 270
Casagranda, F. See Ramshaw, J. A. M., 309
—; See Werkmeister, J. A., 316
Chang, Y. See Sung, H.-W. , 116
Chen, C.-N. See Sung, H.-W., 116
Chirila, T. V. See Lou, X., 404
Chiu, C.-T. See Sung, H.-W., 116
Ciapetti, G. See Savarino, L., 543
Cochran, D. L. See Lohmann, C. H., 139
Constable, I. J. See Lou, X., 404
Cooper, E. See Haddow, D. B., 379
Cornish, K.
—; Lytle, C. D.: Viral impermeability of hypoallergenic, low protein, guayule latex films, 434
Cottrel, M. See Daculsi, G., 228
Couvreur, P. See Aboubakar, M., 568
Craig, R. G.
—; LeGeros, R. Z.: Early events associated with periodontal connective tissue attachment formation on titanium and hydroxyapatite surfaces, 585
Croes, H. J. E. See Walboomers, X. F., 204

Daculsi, G.
—; Pilet, P.; Cottrel, M.; Guicheux, G.: Role of fibronectin during biological apatite crystal nucleation: ultrastructural characterization, 228
—; See Gauthier, O., 28
—; See Kimakhe, S., 18
Dawson, R. A. See Haddow, D. B., 379
Dean, D. D. See Lohmann, C. H., 139
Debes, J. C. See Haddock, S. M., 71
Dellacherie, E. See Quellec, P., 388
Deyme, M. See Aboubakar, M., 568
Dijkstra, P. J. See van Wachem, P. B., 270
DiMilla, P. A. See Marra, K. G., 324
Ding, S.-J.
—; Ju, C.-P.; Lin, J.-H. Chern: Immersion behavior of RF magnetron-assisted sputtered hydroxyapatite/titanium coatings in simulated body fluid, 551
Dobkowski, J.
—; Kołos, R.; Kamiński, J.; Kowalczyńska, H. M.: Cell adhesion to polymeric surfaces: experimental study and simple theoretical approach, 234
Doi, Y.
—; Iwanaga, H.; Shibutani, T.; Moriwaki, Y.; Iwayama, Y.: Osteoclastic responses to various calcium phosphates in cell cultures, 424
Donati, M. E. See Savarino, L., 543

Edelbroek-Hoogendoorn, P. S. See Bruining, M. J., 189
Edwards, G. A. See Ramshaw, J. A. M., 309
—; See Werkmeister, J. A., 316
Engbers, G. H. M. See Bos, G. W., 279

Journal of Biomedical Materials Research
Author Index—Volume 47

Aboubakar, M.
—; Puisieux, F.; Couvreur, P.; Deyme, M.; Vauthier, C.: Study of the mechanism of insulin encapsulation in poly(isobutylcyanoacrylate) nanocapsules obtained by interfacial polymerization, 568
Adnet, J. J. See Josset, Y., 481
Aeschlimann, D. See Bulpitt, P., 152
Aguado, E. See Gauthier, O., 28
Akiyama, H. See Matsuoka, H., 176
Alonso, M. J. See Quellec, P., 388
Amidon, G. L. See Markland, P., 595
Arramon, Y. P. See Haddock, S. M., 71
Askendal, A. See Källtorp, M., 251
Atsuta, M. See Yoshida, K., 516
Ayers, R. A.
—; Wolford, L. M.; Bateman, T. A.; Ferguson, V. L.; Simske, S. J.: Quantification of bone ingrowth into porous block hydroxyapatite in humans, 54

Balas, F. See Pérez-Pariente, J., 170
Bateman, T. A. See Ayers, R. A., 54
Best, S. M. See Fernandez, E., 466
Beugeling, T. See Bos, G. W., 279
Blaauwgeers, H. G. T. See Bruining, M. J., 189
Bohic, S. See Kimakhe, S., 18
Bos, G. W.
—; Scharenborg, N. M.; Poot, A. A.; Engbers, G. H. M.; Beugeling, T.; van Aken, W. G.; Feijen, J.: Blood compatibility of surfaces with immobilized albumin–heparin conjugate and effect of endothelial cell seeding on platelet adhesion, 279
Bosco, J. See Gauthier, O., 28
Bouler, J.-M. See Gauthier, O., 28
Boyan, B. D. See Lohmann, C. H., 139
Bruining, Monique J.
—; Edelbroek-Hoogendoorn, P. S.; Blaauwgeers, H. G. T.; Mooy, C. M.; Hendrikse, F. H.; Koole, L. H.: New biodegradable networks of poly(*N*-vinylpyrrolidinone) designed for controlled nonburst degradation in the vitreous body, 189
Bulpitt, P.
—; Aeschlimann, D.: New strategy for chemical modification of hyaluronic acid: preparation of functionalized derivatives and their use in the formation of novel biocompatible hydrogels, 152
Burmeister, J. S.
—; McKinney, V. Z.; Reichert, W. M.; Truskey, G. A.: Role of endothelial cell–substrate contact area and fibronectin–receptor affinity in cell adhesion to HEMA/EMA copolymers, 577

Cabrerizo-Vilchez, M. A. See Toledano, M., 198
Cahalan, P.T. See van Wachem, P. B., 270
Casagranda, F. See Ramshaw, J. A. M., 309
—; See Werkmeister, J. A., 316
Chang, Y. See Sung, H.-W. , 116
Chen, C.-N. See Sung, H.-W., 116
Chirila, T. V. See Lou, X., 404
Chiu, C.-T. See Sung, H.-W., 116
Ciapetti, G. See Savarino, L., 543
Cochran, D. L. See Lohmann, C. H., 139
Constable, I. J. See Lou, X., 404
Cooper, E. See Haddow, D. B., 379
Cornish, K.
—; Lytle, C. D.: Viral impermeability of hypoallergenic, low protein, guayule latex films, 434
Cottrel, M. See Daculsi, G., 228
Couvreur, P. See Aboubakar, M., 568
Craig, R. G.
—; LeGeros, R. Z.: Early events associated with periodontal connective tissue attachment formation on titanium and hydroxyapatite surfaces, 585
Croes, H. J. E. See Walboomers, X. F., 204

Daculsi, G.
—; Pilet, P.; Cottrel, M.; Guicheux, G.: Role of fibronectin during biological apatite crystal nucleation: ultrastructural characterization, 228
—; See Gauthier, O., 28
—; See Kimakhe, S., 18
Dawson, R. A. See Haddow, D. B., 379
Dean, D. D. See Lohmann, C. H., 139
Debes, J. C. See Haddock, S. M., 71
Dellacherie, E. See Quellec, P., 388
Deyme, M. See Aboubakar, M., 568
Dijkstra, P. J. See van Wachem, P. B., 270
DiMilla, P. A. See Marra, K. G., 324
Ding, S.-J.
—; Ju, C.-P.; Lin, J.-H. Chern: Immersion behavior of RF magnetron-assisted sputtered hydroxyapatite/titanium coatings in simulated body fluid, 551
Dobkowski, J.
—; Kołos, R.; Kamiński, J.; Kowalczyńska, H. M.: Cell adhesion to polymeric surfaces: experimental study and simple theoretical approach, 234
Doi, Y.
—; Iwanaga, H.; Shibutani, T.; Moriwaki, Y.; Iwayama, Y.: Osteoclastic responses to various calcium phosphates in cell cultures, 424
Donati, M. E. See Savarino, L., 543

Edelbroek-Hoogendoorn, P. S. See Bruining, M. J., 189
Edwards, G. A. See Ramshaw, J. A. M., 309
—; See Werkmeister, J. A., 316
Engbers, G. H. M. See Bos, G. W., 279

Feijen, J. See Bos, G. W., 279
—; See van Wachem, P. B., 270
Ferguson, V. L. See Ayers, R. A., 54
Fernandez, E.
—; Planell, J. A.; Best, S. M.: Precipitation of carbonated apatite in the cement system α-$Ca_3(PO_4)_2$-$Ca(H_2PO_4)_2$-$CaCO_3$, 466
Ferraz, M. P.
—; Knowles, J. C.; Olsen, I.; Monteiro, F. J.; Santos, J. D.: Flow cytometry analysis of effects of glass on response of osteosarcoma cells to plasma-sprayed hydroxyapatite/CaO-P_2O_5 coatings, 603
Fiegel, H. C. See Kneser, U., 494
Fong, K. E. See Haddock, S. M., 71
Fontanesi, G. See Savarino, L., 543
France, R. M. See Haddow, D. B., 379
Frondoza, C. G. See Kohilas, K., 95
Fujita, H. See Okada, Y., 353
Furukawa, T. See Yasunaga, T., 412

Gauthier, O.
—; Bouler, J.-M.; Weiss, P.; Bosco, J.; Daculsi, G.; Aguado, E.: Kinetic study of bone ingrowth and ceramic resorption associated with the implantation of different injectable calcium-phosphate bone substitutes, 28
Gautier, S. E. See Jallet, V., 260
Geddes, L. A. See Roeder, R., 65
Gilbert, J. L. See Hasenwinkel, J. M., 36
Ginsel, L. A. See Walboomers, X. F., 204
Giumelli, B. See Kimakhe, S., 18
Goodman, S. B. See Trindade, M. C. D., 1
Gradisar I. A., Jr. See Mostardi, R. A., 60
Granchi, D. See Savarino, L., 543
Gref, R. See Quellec, P., 388
Guicheux, G. See Daculsi, G., 228
Guilak, F. See LeRoux, M. A., 46

Haddock, S. M.
—; Debes, J. C.; Nauman, E. A.; Fong, K. E.; Arramon, Y. P.; Keaveny, T. M.: Structure–function relationships for a coralline hydroxyapatite bone substitute, 71
Haddow, D. B.
—; France, R. M.; Short, R. D.; MacNeil, S.; Dawson, R. A.; Leggett, G. J.; Cooper, E.: Comparison of proliferation and growth of human keratinocytes on plasma copolymers of acrylic acid/1,7-octadiene and self-assembled monolayers, 379
Haefliger, I. See Jallet, V., 260
Hancock, J. See Hwang, J. J., 504
Hasenwinkel, J. M.
—; Lautenschlager, E. P.; Wixson, R. L.; Gilbert, J. L.: A novel high-viscosity, two-solution acrylic bone cement: Effect of chemical composition on properties, 36
Hellemans, L. See Yoshida, Y., 85
Hendriks, M. See van Wachem, P. B., 270
Hendrikse, F. H. See Bruining, M. J., 189
Hentz, V. R. See Hu, M., 79
Herbst, H. See Kneser, U., 494
Heymann, D. See Kimakhe, S., 18
Hicks, C. R. See Lou, X., 404
Hinson, T. See Roeder, R., 65
Honma, R. See Yamamoto, A., 396
Howlett, C. R. See Zreiqat, H., 360
Hu, M.
—; Sabelman, E. E.; Lai, S.; Timek, E. K.; Zhang, F.; Hentz, V. R.; Lineaweaver, W. C.: Polypeptide resurfacing method improves fibroblast's adhesion to hyaluronan strands, 79
Hungerford, D. S. See Kohilas, K., 95
Hunt, J. A. See Ramshaw, J. A. M., 309
—; See Werkmeister, J. A., 316
Hunter, S. K. See Kao, J. M., 537
Hwang, J. J.
—; Jaeger, K.; Hancock, J.; Stupp, S. I.: Organoapatite growth on an orthopedic alloy surface, 504

Ishihara, K. See Sakaki, S., 523
Ishikawa, K.
—; Ueyama, Y.; Mano, T.; Koyama, T.; Suzuki, K.; Matsumura, T.: Self-setting barrier membrane for guided tissue regeneration method: Initial evaluation of alginate membrane made with sodium alginate and calcium chloride aqueous solutions, 111
Ito, H. See Matsuoka, H., 176
Iwanaga, H. See Doi, Y., 424
Iwayama, Y. See Doi, Y., 424
Izquierdo-Barba, I.
—; Salinas, A. J.; Vallet-Regí, M.: *In vitro* calcium phosphate layer formation on sol-gel glasses of the CaO-SiO_2 system, 243

Jaeger, K. See Hwang, J. J., 504
Jallet, V.
—; Gautier, S. E.; Parel, J.-M.; Matsui, T.; Haefliger, I.; Kondo, H.; Kato, H.; Savoldelli, M.; Pouliquen, Y.: Novel synthetic meshwork for glaucoma treatment. I. Design and preliminary *in vitro* and *in vivo* evaluation of various expanded poly(tetrafluoroethylene) materials, 260
Jansen, J. A. See Walboomers, X. F., 204
Jinnah, R. See Kohilas, K., 95
Josset, Y.
—; Oum'Hamed, Z.; Zarrinpour, A.; Lorenzato, M.; Adnet, J. J.; Laurent-Maquin, D.: *In vitro* reactions of human osteoblasts in culture with zirconia and alumina ceramics, 481
Ju, C.-P. See Ding, S.-J., 551
Junila, J. See Ryhänen, J., 472

Kallioinen, M. See Ryhänen, J., 472
Källtorp, M.
—; Askendal, A.; Thomsen, P.; Tengvall, P.: Inflammatory cell recruitment, distribution, and chemiluminescence response at IgG precoated- and thiol functionalized gold surfaces, 251
Kamiński, J. See Dobkowski, J., 234
Kao, J. M.
—; Rose, R.; Yousef, M.; Hunter, S. K.; Rodgers, V. G. J.: *In vivo* biocompatibility evaluation of cibacron blue–agarose, 537
Kato, H. See Jallet, V., 260
Kaufmann, P. M. See Kneser, U., 494
Kawanabe, K. See Okada, Y., 353
Keaveny, T. M. See Haddock, S. M., 71
Keller, J. C. See Stanford, C. M., 345
Kim, H.-M. See Oyane, A., 367
Kimakhe, S.
—; Bohic, S.; Larrose, C.; Reynaud, A.; Pilet, P.; Giumelli, B.; Heymann, D.; Daculsi, G.: Biological activities of sustained polymyxin B release from calcium phosphate biomaterial prepared by dynamic compaction: An *in vitro* study, 18
Kitamura, Y. See Mousa, W. F., 336
Klockars, M. See Lindfors, N. C., 91
Kluth, D. See Kneser, U., 494
Kneser, U.
—; Kaufmann, P. M.; Fiegel, H. C.; Pollok, J. M.; Kluth, D.; Herbst, H.; Rogiers, X.: Long-term differentiated function of heterotopically transplanted

hepatocytes on three-dimensional polymer matrices, 494
Knowles, J. C. See Ferraz, M. P., 603
Kobayashi, M. See Mousa, W. F., 336
Koerten, H. K. See van Dorp, A. G. M., 292
Kohilas, K.
—; Lyons, M.; Lofthouse, R.; Frondoza, C. G.; Jinnah, R.; Hungerford, D. S.: Effect of prosthetic titanium wear debris on mitogen-induced monocyte and lymphoid activation, 95
Kokubo, T. See Matsuoka, H., 176
—; See Oyane, A., 367
Kołos, R. See Dobkowski, J., 234
Komatsu, H. See Noda, M., 374
Kondo, H. See Jallet, V., 260
Konishi, J. See Matsuoka, H., 176
Koole, L. H. See Bruining, M. J., 189
Kovacik, M. W. See Mostardi, R. A., 60
Kowalczyńska, H. M. See Dobkowski, J., 234
Koyama, T. See Ishikawa, K., 111
Kumta, P. N. See Marra, K. G., 324

Lai, S. See Hu, M., 79
Lambrechts, P. See Yoshida, Y., 85
Larrose, C. See Kimakhe, S., 18
Laurent-Maquin, D. See Josset, Y., 481
Lautenschlager, E. P. See Hasenwinkel, J. M., 36
Lee, H. J.
—; Matsuda, T.: Surface photograft polymerization on segmented polyurethane using the iniferter technique, 564
LeGeros, R. Z. See Craig, R. G., 585
Leggett, G. J. See Haddow, D. B., 379
Lemons, J. E. See Moseley, J. P., 529
LeRoux, M. A.
—; Guilak, F.; Setton, L. A.: Compressive and shear properties of alginate gel: Effects of sodium ions and alginate concentration, 46
Levy, R. J. See Schoen, P. J., 439
Li, J. See Liao, H., 220
Li, X. D. See Yang, B. C., 213
Lianakis, N. See Roeder, R., 65
Liang, H.-C. See Sung, H.-W., 116
Liao, H.
—; Wurtz, T.; Li, J.: Influence of titanium ion on mineral formation and properties of osteoid nodules in rat calvaria cultures, 220
Lin, J.-H. Chern See Ding, S.-J., 551
Lin, W.-J.
—; Comparison of thermal characteristics and degradation properties of ε-caprolactone copolymers, 420
Lind, M. See Trindade, M. C. D., 1
Lindfors, N. C.
—; Klockars, M.; Ylänen, H.: Bioactive glasses induce chemiluminescence by human polymorphonuclear leukocytes, 91
Lineaweaver, W. C. See Hu, M., 79
Lofthouse, R. See Kohilas, K., 95
Lohmann, C. H.
—; Sagun R., Jr.; Sylvia, V. L.; Cochran, D. L.; Dean, D. D.; Boyan, B. D.; Schwartz, Z.: Surface roughness modulates the response of MG63 osteoblast-like cells to 1,25-$(OH)_2D_3$ through regulation of phospholipase A_2 activity and activation of protein kinase A, 139
Lorenzato, M. See Josset, Y., 481
Lou, X.
—; Vijayasekaran, S.; Chirila, T. V.; Maley, M. A. L.; Hicks, C. R.; Constable, I. J.: Synthesis, physical characterization, and biological performance of sequential homointerpenetrating polymer network sponges based on poly(2-hydroxyethyl methacrylate), 404
Lyons, M. See Kohilas, K., 95
Lytle, C. D. See Cornish, K., 434

MacNeil, S. See Haddow, D. B., 379
Maley, M. A. L. See Lou, X., 404
Maloney, W. J. See Trindade, M. C. D., 1
Mano, T. See Ishikawa, K., 111
Markland, P.
—; Zhang, Y.; Amidon, G. L.; Yang, V. C.: A pH- and ionic strength-responsive polypeptide hydrogel: Synthesis, characterization, and preliminary protein release studies, 595
Marra, K. G.
—; Szem, J. W.; Kumta, P. N.; DiMilla, P. A.; Weiss, L. E.: *In vitro* analysis of biodegradable polymer blend/hydroxyapatite composites for bone tissue engineering, 324
Matsuda, T. See Lee, H. J., 564
Matsui, T. See Jallet, V., 260
Matsumura, T. See Ishikawa, K., 111
Matsuoka, H.
—; Akiyama, H.; Okada, Y.; Ito, H.; Shigeno, C.; Konishi, J.; Kokubo, T.; Nakamura, T.: *In vitro* analysis of the stimulation of bone formation by highly bioactive apatite- and wollastonite-containing glass-ceramic: released calcium ions promote osteogenic differentiation in osteoblastic ROS17/2.8 cells, 176
Matsusue, Y. See Yasunaga, T., 412
Mays, J. W. See Moseley, J. P., 529
McKelvey, A. L.
—; Ritchie, R. O.: Fatigue-crack propagation in nitinol, a shape-memory and superelastic endovascular stent material, 301
McKinney, V. Z. See Burmeister, J. S., 577
Meerbaum, S. O. See Mostardi, R. A., 60
Minoda, M. See Oyane, A., 367
Miyamoto, S. See Saito, N., 104
Miyamoto, T. See Oyane, A., 367
Montanaro, L. See Savarino, L., 543
Monteiro, F. J. See Ferraz, M. P., 603
Mooy, C. M. See Bruining, M. J., 189
Moriwaki, Y. See Doi, Y., 424
Moseley, J. P.
—; Lemons, J. E.; Mays, J. W.: The development and characterization of a fracture-toughened acrylic for luting total joint arthroplasties, 529
Mostardi, R. A.
—; Meerbaum, S. O.; Kovacik, M. W.; Gradisar I. A., Jr.: *In vitro* response of human fibroblasts to commercially pure titanium, 60
Mousa, W. F.
—; Kobayashi, M.; Kitamura, Y.; Zeineldin, I. A.; Nakamura, T.: Effect of silane treatment and different resin compositions on biological properties of bioactive bone cement containing apatite-wollastonite glass ceramic powder, 336

Nakabayashi, N. See Sakaki, S., 523
Nakamura, T. See Matsuoka, H., 176
—; See Mousa, W. F., 336
—; See Okada, Y., 353
—; See Oyane, A., 367
—; See Yasunaga, T., 412
Nakanishi, K. See Oyane, A., 367
Nam, Y. S.
—; Park, T. G.: Porous biodegradable polymeric scaffolds prepared by thermally induced phase separation, 8
Nauman, E. A. See Haddock, S. M., 71
Niemelä, E. See Ryhänen, J., 472
Nishio, K. See Okada, Y., 353
Noda, M.
—; Komatsu, H.; Sano, H.: HPLC analysis of dental resin composites components, 374

Obermiller, J. See Roeder, R., 65
Okada, T. See Saito, N., 104
Okada, Y.
—; Kawanabe, K.; Fujita, H.; Nishio, K.; Nakamura, T.: Repair of segmental bone defects using bioactive bone cement: Comparison with PMMA bone cement, 353
—; See Matsuoka, H., 176
Okuno, M. See Yasunaga, T., 412
Olsen, I. See Ferraz, M. P., 603
Osorio, R. See Toledano, M., 198
Oum'Hamed, Z. See Josset, Y., 481
Oyane, A.
—; Minoda, M.; Miyamoto, T.; Takahashi, R.; Nakanishi, K.; Kim, H.-M.; Kokubo, T.; Nakamura, T.: Apatite formation on ethylene-vinyl alcohol copolymer modified with silanol groups, 367

Parel, J.-M. See Jallet, V., 260
Park, T. G. See Nam, Y. S., 8
Pashley, D. H. See Yoshida, Y., 85
Perämäki, P. See Ryhänen, J., 472
Perdigao, J. See Toledano, M., 198
Pérez-Pariente, J.
—; Balas, F.; Román, J.; Salinas, A. J.; Vallet-Regí, M.: Influence of composition and surface characteristics on the *in vitro* bioactivity of SiO_2–CaO–P_2O_5–MgO sol-gel glasses, 170
Pilet, P. See Daculsi, G., 228
—; See Kimakhe, S., 18
Pilliar, R. M. See Simmons, C. A., 127
Planell, J. A. See Fernandez, E., 466
Pollok, J. M. See Kneser, U., 494
Ponec, M. See van Dorp, A. G. M., 292
Poot, A. A. See Bos, G. W., 279
Pouliquen, Y. See Jallet, V., 260
Puisieux, F. See Aboubakar, M., 568

Quellec, P.
—; Gref, R.; Dellacherie, E.; Sommer, F.; Tran, M. D.; Alonso, M. J.: Protein encapsulation within poly(ethylene glycol)-coated nanospheres. II. Controlled release properties, 388

Ramshaw, J. A. M.
—; Casagranda, F.; White, J. F.; Edwards, G. A.; Hunt, J. A.; Williams, D. F.; Werkmeister, J. A.: Effects of mesh modification on the structure of a mandrel-grown biosynthetic vascular prosthesis, 309
—; See Werkmeister, J. A., 316
Reichert, W. M. See Burmeister, J. S., 577
Reynaud, A. See Kimakhe, S., 18
Ritchie, R. O. See McKelvey, A. L., 301
Rodgers, V. G. J. See Kao, J. M., 537
Roeder, R.
—; Wolfe, J.; Lianakis, N.; Hinson, T.; Geddes, L. A.; Obermiller, J.: Compliance, elastic modulus, and burst pressure of small-intestine submucosa (SIS), small-diameter vascular grafts, 65
Rogiers, X. See Kneser, U., 494
Román, J. See Pérez-Pariente, J., 170
Rosales, J. I. See Toledano, M., 198
Rose, R. See Kao, J. M., 537
Rotini, R. See Savarino, L., 543
Ryhänen, J.
—; Kallioinen, M.; Serlo, W.; Perämäki, P.; Junila, J.; Sandvik, P.; Niemelä, E.; Tuukkanen, J.: Bone healing and mineralization, implant corrosion, and trace metals after nickel–titanium shape memory metal intramedullary fixation, 472

Sabelman, E. E. See Hu, M., 79
Sagun R., Jr. See Lohmann, C. H., 139
Saito, N.
—; Okada, T.; Toba, S.; Miyamoto, S.; Takaoka, K.: New synthetic absorbable polymers as BMP carriers: Plastic properties of poly-D,L-lactic acid-polyethylene glycol block copolymers, 104
Sakaki, S.
—; Nakabayashi, N.; Ishihara, K.: Stabilization of an antibody conjugated with enzyme by 2-methacryloyloxyethyl phosphorylcholine copolymer in enzyme-linked immunosorbent assay, 523
Salinas, A. J. See Izquierdo-Barba, I., 243
—; See Pérez-Pariente, J., 170
Sandvik, P. See Ryhänen, J., 472
Sano, H. See Noda, M., 374
Santos, J. D. See Ferraz, M. P., 603
Savarino, L.
—; Granchi, D.; Ciapetti, G.; Stea, S.; Donati, M. E.; Zinghi, G.; Fontanesi, G.; Rotini, R.; Montanaro, L.: Effects of metal ions on white blood cells of patients with failed total joint arthroplasties, 543
Savoldelli, M. See Jallet, V., 260
Scharenborg, N. M. See Bos, G. W., 279
Schoen, F. J.
—; Levy, R. J.: Tissue heart valves: Current challenges and future research perspectives, 439
Schurman, D. J. See Trindade, M. C. D., 1
Schwartz, Z. See Lohmann, C. H., 139
Serlo, W. See Ryhänen, J., 472
Setton, L. A. See LeRoux, M. A., 46
Shibutani, T. See Doi, Y., 424
Shigeno, C. See Matsuoka, H., 176
Shikinami, Y. See Yasunaga, T., 412
Short, R. D. See Haddow, D. B., 379
Simmons, C. A.
—; Valiquette, N.; Pilliar, R. M.: Osseointegration of sintered porous-surfaced and plasma spray–coated implants: An animal model study of early postimplantation healing response and mechanical stability, 127
Simske, S. J. See Ayers, R. A., 54
Smith, R. Lane See Trindade, M. C. D., 1
Snauwaert, J. See Yoshida, Y., 85
Solursh, M. See Stanford, C. M., 345
Sommer, F. See Quellec, P., 388
Stanford, C. M.
—; Solursh, M.; Keller, J. C.: Significant role of adhesion properties of primary osteoblast-like cells in early adhesion events for chondroitin sulfate and dermatan sulfate surface molecules, 345
Stea, S. See Savarino, L., 543
Stupp, S. I. See Hwang, J. J., 504
Sumita, M. See Yamamoto, A., 396
Sung, H.-W.
—; Chang, Y.; Chiu, C.-T.; Chen, C.-N.; Liang, H.-C.: Crosslinking characteristics and mechanical properties of a bovine pericardium fixed with a naturally occurring crosslinking agent, 116
Suzuki, K. See Ishikawa, K., 111
Sylvia, V. L. See Lohmann, C. H., 139
Szem, J. W. See Marra, K. G., 324

Takahashi, R. See Oyane, A., 367
Takaoka, K. See Saito, N., 104
Tanagawa, M. See Yoshida, K., 516
Tanaka, A. See Yamamoto, A., 396
Tengvall, P. See Källtorp, M., 251
Thompson, J. Y. See Toledano, M., 198

Thomsen, P. See Källtorp, M., 251
Timek, E. K. See Hu, M., 79
Toba, S. See Saito, N., 104
Toledano, M.
—; Osorio, R.; Perdigao, J.; Rosales, J. I.; Thompson, J. Y.; Cabrerizo-Vilchez, M. A.: Effect of acid etching and collagen removal on dentin wettability and roughness, 198
Tran, M. D. See Quellec, P., 388
Trindade, M. C. D.
—; Lind, M.; Goodman, S. B.; Maloney, W. J.; Schurman, D. J.; Smith, R. Lane: Interferon-gamma exacerbates polymethylmethacrylate particle-induced interleukin-6 release by human monocyte/macrophages *in vitro*, 1
Truskey, G. A. See Burmeister, J. S., 577
Tuukkanen, J. See Ryhänen, J., 472

Ueyama, Y. See Ishikawa, K., 111

Valiquette, N. See Simmons, C. A., 127
Vallet-Regí, M. See Izquierdo-Barba, I., 243
—; See Pérez-Pariente, J., 170
van Aken, W. G. See Bos, G. W., 279
van Blitterswijk, C. A. See van Dorp, A. G. M., 292
van Dorp, A. G. M.
—; Verhoeven, M. C. H.; Koerten, H. K.; van Blitterswijk, C. A.; Ponec, M.: Bilayered biodegradable poly(ethylene glycol)/poly(butylene terephthalate) copolymer (polyactive™) as substrate for human fibroblasts and keratinocytes, 292
van Luyn, M. J. A. See van Wachem, P. B., 270
Van Meerbeek, B. See Yoshida, Y., 85
van Wachem, P. B.
—; Zeeman, R.; Dijkstra, P. J.; Feijen, J.; Hendriks, M.; Cahalan, P. T.; van Luyn, M. J. A.: Characterization and biocompatibility of epoxy-crosslinked dermal sheep collagens, 270
Vanherle, G. See Yoshida, Y., 85
Vauthier, C. See Aboubakar, M., 568
Verhoeven, M. C. H. See van Dorp, A. G. M., 292
Vijayasekaran, S. See Lou, X., 404

Wakasa, K. See Yoshida, Y., 85
Walboomers, X. F.
—; Croes, H. J. E.; Ginsel, L. A.; Jansen, J. A.: Contact guidance of rat fibroblasts on various implant materials, 204
Weiss, L. E. See Marra, K. G., 324
Weiss, P. See Gauthier, O., 28
Weng, J. See Yang, B. C., 213
Werkmeister, J. A.
—; Edwards, G. A.; White, J. F.; Casagranda, F.; Hunt, J. A.; Williams, D. F.; Ramshaw, J. A. M.: *In vivo* evaluation of modified mandrel-grown vascular prostheses, 316
—; See Ramshaw, J. A. M., 309
White, J. F. See Ramshaw, J. A. M., 309
—; See Werkmeister, J. A., 316
Williams, D. F. See Ramshaw, J. A. M., 309
—; See Werkmeister, J. A., 316
Wixson, R. L. See Hasenwinkel, J. M., 36
Wolfe, J. See Roeder, R., 65
Wolford, L. M. See Ayers, R. A., 54
Wurtz, T. See Liao, H., 220

Yamamoto, A.
—; Honma, R.; Tanaka, A.; Sumita, M.: Generic tendency of metal salt cytotoxicity for six cell lines, 396
Yang, B. C.
—; Weng, J.; Li, X. D.; Zhang, X. D.: The order of calcium and phosphate ion deposition on chemically treated titanium surfaces soaked in aqueous solution, 213
Yang, V. C. See Markland, P., 595
Yasunaga, T.
—; Matsusue, Y.; Furukawa, T.; Shikinami, Y.; Okuno, M.; Nakamura, T.: Bonding behavior of ultrahigh strength unsintered hydroxyapatite particles/poly(L-lactide) composites to surface of tibial cortex in rabbits, 412
Ylänen, H. See Lindfors, N. C., 91
Yoshida, K.
—; Tanagawa, M.; Atsuta, M.: Characterization and inhibitory effect of antibacterial dental resin composites incorporating silver-supported materials, 516
Yoshida, Y.
—; Van Meerbeek, B.; Snauwaert, J.; Hellemans, L.; Lambrechts, P.; Vanherle, G.; Wakasa, K.; Pashley, D. H.: A novel approach to AFM characterization of adhesive tooth–biomaterial interfaces, 85
Yousef, M. See Kao, J. M., 537

Zarrinpour, A. See Josset, Y., 481
Zeeman, R. See van Wachem, P. B., 270
Zeineldin, I. A. See Mousa, W. F., 336
Zhang, F. See Hu, M., 79
Zhang, X. D. See Yang, B. C., 213
Zhang, Y. See Markland, P., 595
Zinghi, G. See Savarino, L., 543
Zreiqat, H.
—; Howlett, C. R.: Titanium substrata composition influences osteoblastic phenotype: *In vitro* study, 360

Journal of Biomedical Materials Research
Subject Index—Volume 47

Acid etching, 198
Adhesive interface, 85
Agarose, 537
Albumin, 388, 537
Albumin–heparin conjugate, 279
Alginate, 111
Alumina, 481
Antibodies, 316
Antibody conjugated with enzyme (enzyme–antibody conjugate), 523
Apatite, 176, 367
Apatite and wollastonite containing glass ceramic, 353
Apatite-wollastonite glass ceramic, 336
Artificial cornea, 404
Atomic force microscopy, 85

Barrier membrane, 111
Bilayered biodegradable copolymer, 292
Bioactive bone cement, 353
Bioactive glass, 91, 243
Bioactive material, 176
Bioactivity, 28, 336
Biocompatibility, 260, 270, 472, 537
Biodegradable, 324
Biodegradable biomaterials, 189
Biodegradable polymer, 8
Biological apatite, 228
Biomaterial, 28, 396, 537
Bioresorbable bone substitute, 424
Bis-glycidyl methacrylates, 374
Bisphenol A, 374
Bisphenol-A-glycidyl dimethacrylate based resin, 353
Blood compatibility, 279
Bonding strength, 412
Bone cells, 603
Bone cement, 36, 529
Bone cortex, 412
Bone formation, 152
Bone healing, 472
Bone mineral phase, 466
Bone morphogenetic protein (BMP), 104
Bone regeneration, 28
Bone resorption, 60
Bone tissue engineering, 504
Bovine pericardial valves (BPV), 439
Bovine pericardium, 116
Burst pressure of grafts, 65

Calcification, 270, 439
Calcium, 176, 213
Calcium phosphate, 28, 228
Calcium phosphate biomaterials, 18
Calcium phosphate cements, 466
Calcium phosphate layer formation, 243
Calcium phosphates, 424
Calvaria cells, 220
CaO-SiO_2 system, 243
Capillary electrophoresis, 18
Carbonated apatite, 466
Carrier, 104
Cell adhesion, 79, 345, 577
Cell culture, 46, 379, 424
Cell–polymer constructs, 494
Cell–substratum adhesion, 234
Cellular infiltration, 316
Cellular invasion, 404
Cementum, 585
Ceramics, 28
Chemically treated titanium, 213
Cibacron blue, 537
Coating, 504
Collagen, 85, 270, 309, 316
Collagen removal, 198
Collagen synthesis, 585
Complement, 251
Compliance of grafts, 65
Composite, 412
Contact guidance, 204
Controlled release, 388
Coralline hydroxyapatite, 71
Corrosion, 472
Craniofacial, 54
Crosslinked hydrogels, 189
Crosslinking, 152, 270, 595
Crosslinking characteristics, 116
Cytokine delivery, 152
Cytotoxicity, 220, 396

Dahllite, 466
Degradation, 420
Dental resin composites, 374
Dentin, 85, 198
Deposition, 213
Differentiation, 176
3-dimensional matrix, 46
DNA image cytometry, 481
Drug delivery system, 18
δ-valerolactone, 420
Dynamic compaction, 18

ε-caprolactone, 420
Elastic modulus of grafts, 65
ELISA, 523
Endothelial cell seeding, 279
Endothelial cells, 577
Epoxy compound, 116, 270
Ethylene-vinyl alcohol copolymer (EVOH), 367
Expanded poly(tetrafluoroethylene), 260

Fatigue, 301
Fibroblast, 60, 79
Fibronectin, 228
Filtration surgery, 260
Flow cytometry, 603
Fracture-toughened, 529
Fracture toughness, 529
Functionalized surfaces, 251

γ-butyrolactone, 420
γ-caprolactone, 420
γ-valerolactone, 420
Genipin, 116
Glaucoma, 260
Glutaraldehyde, 79, 116
Glutaraldehyde (GLUT), 439
Glycosaminoglycan, 345
Grafts, 71
Guided tissue regeneration, 111

Heparin, 316
Hepatic tissue engineering, 494
Hepatocyte transplantation, 494
High performance liquid chromatography analysis, 374
Human diploid fibroblasts, 396
Human fibroblasts and keratinocytes, 292
Human neuroblastoma, 396
Humans, 54
Hyaluronic acid, 79, 152
Hydrogel, 46, 595
Hydroxyapatite, 54, 324, 412, 551, 585
Hydroxyapatite-glass, 603
Hypoallergenic latex, 434

IgG, 251
Immersion, 551
Implant, 543
Implant stability, 127
Implant surface design, 127
Implant surfaces, 345
in situ hybridization, 494
in vitro, 139, 204
in vitro bioactivity, 170
in vitro tests in SBF, 243
Infection, 95
Inflammation, 251
Ingrowth, 54
Inhibitory effect against *Streptococcus mutans*, 516
Insulin, 568
Interferon-gamma, 1
Interleukin-6, 1
Intraocular drug delivery, 189
Isobutylcyanoacrylate, 568

Keratinocyte, 379

Latex allergy, 434
Latex prototypes, 434
Leukocytes, 251
Light-activated dental resin composite, 516
Lipopolysaccharides, 18
Loosening, 543
Lymphocytes, 95

Mandrel, 309
Mechanical properties, 36, 46, 71, 116, 516
Mechanical strength, 404
Metal debris, 60
Metal ions, 543
Metal salts, 396
Metal threshold, 60
2-methacryloyloxyethyl phosphorylcholine (MPC), 523
Microgrooves, 204
Microscopy, 309
Microstructure, 551
Mineralization, 220, 228
Mitogen, 95
Molecular weight, 336
Monocytes, 95
Monocytes/macrophages, 1, 18
Murine monocyte-macrophage, 396

Nanocapsules, 568
Nanospheres, 388
NiTi, 472
Nitinol, 301
Noncalcific degradation, 439
Nucleation, 228

1,25-$(OH)_2D_3$, 139
Ophthalmic implant, 260
Order, 213
Organoapatite, 504
Osseointegration, 127
Osteoblast, 139, 176, 345, 481
Osteoblast-like cells, 360
Osteoblast phenotype, 220
Osteoclastic response, 424
Osteogenic proteins, 360

Parthenium argentatum, 434
Particles, 1
Patency, 316
Peptide–surface interaction, 234
Performance, 316
Periodontal connective tissues, 585
Permeability, 71
PH-responsive swelling, 595
Phosphate ions, 213
Phospholipase A_2, 139
Photopolymerization, 189
Plasma polymer, 379
Plasma sprayed, 127
Plasticity, 104
Platelet adhesion, 279, 564
PLGA, 324
PMMA, 1, 529
Polyactive™, 292
Poly(amino acid), 504
Poly(caprolactone), 324
Poly-D,L-lactic acid-polyethylene glycol block copolymer (PLA-PEG), 104
Polyethylene glycol, 595
Poly(ethylene glycol), 388
Polyglutamic acid, 595
Poly(2-hydroxyethyl methacrylate) sponges, 404
Poly(isobutylcyanoacrylate), 568
Poly(lactic acid), 388
Poly-L-lactic acid, 204
Poly(L-lactide), 412
Polymer, 104, 577
Polymerization initiation, 568
Poly(methyl methacrylate) (PMMA), 36
Polymethylmethacrylate bone cement, 336
Poly(MPC-co-St), 523
Polymorphonuclear leukocytes, 91
Polymyxin B, 18
Polypeptide, 79
Polypeptide hydrogels, 595
Polystyrene, 204
Porcine aortic valves (PAV), 439
Pore morphology, 404
Porosity, 170
Porous implants, 54
Porous scaffolds, 8
Porous surfaced, 127
Proliferation, 603
Protein, 388
Protein kinase A, 139
Protein kinase C, 139
Protein release, 595

Rate kinetics, 345
Reactive oxygen metabolites, 91
Roughness, 198

Segmental bone defect, 353
Segmented polyurethane, 564
Self-assembled monolayer, 379
Setting characteristics, 36
Shape-memory, 301
Silanation, 336
Silanol group (Si-OH group), 367
Silica, 91
Silicone rubber, 204
Silver ions release, 516
Silver-nucleolar organizer regions, 481
Silver-supported antibacterial material, 516
Simulated body fluid (SBF), 367
SiO_2–CaO–P_2O_5–MgO system, 170
Small-diameter vascular grafts, 279
Sodium alginate, 111
Sol-gel, 367
Sol-gel glasses, 170
Sol-gel method, 243
Sputtering, 551
Stealth drug delivery systems, 388
Stent, 301
Substrate, 292
Superelastic, 301
Surface area, 170
Surface-derivatized dithiocarbamate, 564
Surface graft polymerization, 564
Surface hydrophobicity, 577
Surface roughness, 139
Surface sulfonic groups, 234
Synthetic stabilizer, 523

Tension test, 353
Thermally induced phase separation, 8
Tissue engineering, 46, 324
Tissue heart valves, 439
Tissue repair, 152

Tissue valve mineralization, 439
Titanium, 95, 139, 204, 360, 504, 551, 585
Titanium alloy, 360
Titanium ion, 220
Total hip arthroplasty, 529
Total internal reflection fluorescence microscopy, 577
Total joint arthroplasty, 60
Trabecular bone, 71
Trace metals, 472
Transplantation, 537
Tumor necrosis factor-alpha, 1

Ultra-morphology, 85

Vascular graft, 65
Vascular prostheses, 316
Vascular prosthesis, 309
Viral barrier properties, 434

Wettability, 198
White blood cells, 543
Wound healing, 379

X-ray photoelectron spectroscopy, 564

Zirconia, 481